

Bibliographie scientifique indicative MBCT & Santé

Bertschy G., (2021), Pleine conscience contre depression, Cerveau & Psycho, hors-série, mars-avril, pp. 80-87.

Bizzini, L., Jermann, F., Weber, B., Myers-Arrazola, L., Aubry, J.M., & Bondolfi, G. (2010). Mindfulness et dépression. *Santé Mentale*, 147, 69-72.

Bondolfi, G., Jermann, F., Van der Linden, M., Gex-Fabry, M., Bizzini, L., Weber-Rouget, B., Myers-Arrazola, L., Gonzalez, C., Segal, Z., Aubry, J.M., & Bertschy, G. (2010). Depression relapse prophylaxis with Mindfulness- Based Cognitive Therapy: replication and extension in the Swiss health care system. *Journal of Affective Disorders*, 122(3), 224-31.

Chiesa, A., Brambilla, P., & Serretti, A. (2010). Functional neural correlates of mindfulness meditations in comparison with psychotherapy, pharmacotherapy and placebo effect. Is there a link? *Acta Neuropsychiatrica*, 22(3), 104-117.

Farb, N., Anderson, A., Ravindran, A., Hawley, L., Irving, J., Mancuso, E., Segal, Z. V. (2017). Prévention de la rechute/récurrence dans le désordre dépressif principal avec la thérapie cognitive pleine conscience-basée ou la thérapie cognitive. *Journal of Consulting and Clinical Psychology*.

Fortney, L., & Taylor, M. (2010). Meditation in medical practice: A review of the evidence and practice. *Primary Care*, 37(1), 81-90.

Heeren, A., & Philippot, P. (2010). Les interventions basées sur la pleine conscience : Une revue conceptuelle et empirique [Mindfulness-based Interventions: A conceptual and empirical review]. *Revue Québécoise de Psychologie*, 31, 1-25.

Hofmann, S. G., Sawyer, A. T., Witt, A. A., & Oh, D. (2010). The effect of mindfulness-based therapy on anxiety and depression: A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 78(2), 169-83.

Hölzel B.K., et al. (2011). How Does Mindfulness Meditation Work? Proposing Mechanisms of Action From a Conceptual and Neural

Perspective. *Perspectives on Psychological Science*, 6(6) 537–559.

Kuyken, W. et al., (2016), Efficacy of MBCT in prevention of depressive relapse : an individual patient data meanalysis from randomized trials, *JAMA Psychiatry*, vol. 73, pp. 565-574

Kuyken, W., Hayes, R., Barrett, B., et al. (2015). Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. *The Lancet*, 386: 63–73.

Pots, W., Meulenbeck, P., Veehof, M., Klungers, J., & Bohlmeijer, E. (2014). The Efficacy of Mindfulness-Based Cognitive Therapy as a Public Mental Health Intervention for Adults with Mild to Moderate Depressive Symptomatology : A Randomized Controlled Trial. DOI : 10.1371/journal.pone.0109789

Segal Z.V., Williams M.G. et Teasdale J.D., (2019), *La thérapie cognitive basée sur la pleine conscience pour la dépression – Prévenir la rechute*, deboeck Supérieur, coll. Carrefour des psychothérapies, 3^{ème} édition.

Segal, Z.V., Bieling, P., Young, T., Mc Queen, G., Cooke, R., Martin, L., Bloch, R., & Levitan, R.D. (2010). Antidepressant monotherapy versus sequential pharmacotherapy and mindfulness based cognitive therapy, or placebo, for relapse prophylaxis in recurrent depression. *Archives of General Psychiatry*, 67/12, 1256-1264.

Schanche E., et al., (2021), Self-criticism and self-reassurance in individuals with recurrent depression of effects on MBCT and relationship on relaps, *Counselling and Psychotherapy*.

Shankland, R., Bouffard, L. (eds) (2014). Numéro spécial “Pleine Conscience” de la *Revue québécoise de psychologie*, 35(2), 1-178.

Shonin, E., Van Gordon, W., & Griffiths, M.D. (2013). Mindfulness-based interventions: towards mindful clinical integration. *Frontiers in Psychology*, 4, 194.

Van der Velden A. M. et al. , (2015), Systematic review of mechanisms of change in MBCT in the treatment of recurrent major depressive disorder, *Clinical Psychology Review*, vol. 37, pp. 26-39.

Wilimans K. et al., (2020), Changes in the neural correlates of self-blame following MBCT in remitted depression participants, *Psychiatry Research - Neuroimaging*

Willoughby Britton et al. (2019), Dismantling Mindfulness-Based Cognitive Therapy: Creation and validation of 8-week focused attention and open monitoring interventions within a 3-armed randomized controlled trial in *Behaviour Research and Therapy*